Page: 1 of 6

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Bulldog Abrasive Prep & Clean

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100 Memphis. TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

**Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Paint adhesion.

Product Code: EPC535, PPC535

### 2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: Causes mild skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

GHS Precautionary Phrases: Avoid breathing dust/gas/mist/vapors/spray.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs, get medical advice/attention. If eye irritation persists, get medical advice/attention. Store container tightly closed in well-ventilated place.

**GHS Storage and Disposal** 

**Phrases:** Store locked up.

Dispose of contents/container according to local, state and federal regulations.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Other Hazards: Causes mild skin irritation.

Potential Health Effects EYES:

(Acute and Chronic): Can cause mild irritation on prolonged contact, causing reddening, possible blurred vision

and corneal inflammation.

SKIN:

Mild irritant, possibly causing surface inflammation with redness, especially on prolonged

contact.

INHALATION:

May cause irritation to the respiratory tract. May produce symptoms of central nervous

system depression, including headache, dizziness, nausea, loss of balance, and

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

drowsiness.

INGESTION:

Extremely large oral doses may produce gastrointestinal disturbances, irritation, nausea, vomiting, and diarrhea.

CHRONIC OVEREXPOSURE EFFECTS:

None known.

**TARGET ORGANS:** 

Eyes, skin, respiratory system

PRIMARY ROUTES OF ENTRY:

Inhalation, skin, ingestion

Medical Conditions Generally None known.

Aggravated By Exposure:

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
143-18-0	Oleic acid potassium salt	3.0 -7.0 %
98-56-6	4-Chlorobenzotrifluoride {4-Chloroalpha.,.alpha.,.alphatrifluorotoluene}	1.0 -5.0 %
29911-28-2	Dipropylene glycol n-butyl ether	1.0 -5.0 %
68439-45-2	Ethoxylated alcohol	1.0 -5.0 %

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

## 4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

See Potential Health Effects.

**Note to Physician:**Treatment of overexposure should be directed at the control of symptoms and the clinical

condition of the patient.

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

5. FIRE FIGHTING MEASURES

Flash Pt: N.D.

LEL: N.D. UEL: N.D. **Explosive Limits:** 

Autoignition Pt: N.D.

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Non-combustible material.

Flammable Properties and

Hazards:

Flashpoint: No flash to boiling. This material does not exhibit a flashpoint per the

Setaflash Closed Cup test method.

**Hazardous Combustion** 

**Products:** 

Carbon monoxide, carbon dioxide.

#### 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Isolate the immediate area. Prevent unauthorized entry. Do not touch or walk through spilled material. Wear appropriate PPE to prevent skin contact. Prevent entry into waterways, sewers, or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers for disposal.

#### 7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Avoid contact with eyes and skin.

A source of clean water should be available in or near the work area for flushing of the eyes and skin if contact occurs.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Equipment (Specify Type):

When used by the consumer following directions for use and with adequate ventilation, respiratory protection should not be needed.

For use in areas with inadequate ventilation or fresh air, wear a properly maintained and properly fitted NIOSH approved respirator for organic solvent vapors.

For OSHA controlled work places and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding the appropriate TLV.

A dust mask does not provide protection against vapors.

**Eye Protection:** Safety glasses should be worn during normal handling of this material.

Protective Gloves: Wear gloves with as much resistance to the chemical ingredients as possible. Glove

materials such as nitrile rubber may provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional

information. Gloves contaminated with product should be discarded and not reused.

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

Other Protective Clothing:

Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.):

Use process enclosures, local exhaust ventilation, or other engineering controls to control  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and

move to fresh air.

Work/Hygienic/Maintenance Practices:

Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, or smoking.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

Appearance and Odor: Paste, grey color, abrasive.

Odor threshold not determined.

 pH:
 7.4 - 8.4

 Melting Point:
 N.D.

 Boiling Point:
 N.D.

 Flash Pt:
 N.D.

Evaporation Rate: < 1

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: N.D. UEL: N.D.

Vapor Pressure (vs. Air or

mm Hg):

N.D.

Vapor Density (vs. Air = 1): > 1
Specific Gravity (Water = 1): 1.174
Density: 9.76 LB/GL

Solubility in Water: N.D.

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

Octanol/Water Partition

ND

Coefficient:

VOC / Volume: 0.0000 G/L

Autoignition Pt: N.D.

Decomposition Temperature: N.D.

Viscosity: N.D.

Additional Physical

Information

VOC data based on CRB definition.

ND = Not determined.

10. STABILITY AND REACTIVITY

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials To Aluminum, perchloric acid, strong oxidizers, inorganic acids, halogens, strong acids and

Avoid: bases

Hazardous Decomposition or Carbon monoxide, carbon dioxide

Byproducts:

Possibility of Hazardous

Will occur [ ]

Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product has not been tested as a whole. Refer to section 2 for acute and chronic

health effects.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
143-18-0	Oleic acid potassium salt	n.a.	n.a.	n.a.	n.a.
98-56-6	4-Chlorobenzotrifluoride {4-Chloroalpha.,.alpha.,.alphatrifluorotoluene}	n.a.	n.a.	n.a.	n.a.
29911-28-2	Dipropylene glycol n-butyl ether	n.a.	n.a.	n.a.	n.a.
68439-45-2	Ethoxylated alcohol	n.a.	n.a.	n.a.	n.a.

## 12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole.

### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

Do not place material in general trash.

Do not allow material to enter bodies of water or sewers.

### 14. TRANSPORT INFORMATION

Revision: 09/15/2020 Supersedes Revision: 05/29/2015

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated by D.O.T.

**DOT Hazard Class: UN/NA Number:** 

### 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS# **Hazardous Components (Chemical Name)** S. 302 (EHS) S. 304 RQ S. 313 (TRI) 143-18-0 Oleic acid potassium salt No No No 98-56-6 4-Chlorobenzotrifluoride No No No

{4-Chloro-.alpha.,.alpha.,.trifluorotoluene}

29911-28-2 Dipropylene glycol n-butyl ether No No Nο 68439-45-2 Ethoxylated alcohol No No No

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

143-18-0 Oleic acid potassium salt TSCA: Inventory

98-56-6 4-Chlorobenzotrifluoride TSCA: Inventory, 4 Test, 12(b)

> {4-Chloro-.alpha.,.alpha.,.alpha.-trifluorotoluene} CA PROP.65: Yes: Canc.

29911-28-2 Dipropylene glycol n-butyl ether TSCA: Inventory, 8A PAIR, 8D TERM

68439-45-2 Ethoxylated alcohol TSCA: Inventory

### **16. OTHER INFORMATION**

09/15/2020 Revision Date:

W.M. Barr EHS Dept Preparer Name: (901)775-0100

This Product:

Additional Information About This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.