

The United States of America:  
Peter Kwasny Inc.  
62-64 Enter Lane,  
Islandia, NY 11749

Distributed in

Canada by  
Peter Kwasny Spraypaint Canada Inc.  
2275 Lakeshore Blvd. West, Suite 530  
Toronto, ON. M8V 3Y3

Toll free North America  
Phone: 1-844-426-6330 / Fax: 1-866-226-6434  
order@kwasny.us / service@kwasny.us  
www.spraymax.com

**SprayMax®**  
**1K Gun Cleaner**  
**299 g NET WT. 10.6 oz**  
**Art. Nr. 3680095**



## Product

### Description / Purpose

Rich in active cleaning solvents for the thorough cleaning of the variator nozzle or conventional spray guns.

### Properties

- Cleans spray guns that are soiled with both solvent-based or water-based paints
- Fast cleaning completely free of residues thanks to the solvent power
- Optionally with a short or long nozzle
- Spray gun can be cleaned overhead without being dismantled
- Cleans the Variator nozzle
- Improved cleaning effect thanks to spray can pressure
- Dosed distribution

### Material base

Special solvent combination

### Colour

Transparent

### EPA Coating Category

n.a.

**CARB Aerosol Rule Coating Category  
(01/2017)**

n.a.

## Processing

### Protection measures




Wear personal protection equipment.

(respiratory mask / gloves / goggles)

For more information, see safety data sheet.

### Spraying distance



6 - 8 inches / 15 - 20 cm


### Processing conditions



1. After you finished your paint job spray your spraying gun thoroughly empty
2. Remove the paint cup and nozzle head.
3. Not later than 2 h after you have finalized your paint work rinse the inner part of your spray gun as well as the nozzle head using the lancet on the spray head of the aerosol.
4. Drain the spray gun
5. Reassemble your spray gun and dry it with compressed air.

## Additional Information

### Shelf Life



60 months

The usage period refers to an unused can that is stored correctly at a temperature of 60° F - 77° F / 15 - 25° C and a relative humidity below 60%. The can must be stored and transported in an upright position in a dry place where it is protected against chemical and mechanical influences. The safety information on the can and all statutory provisions applicable for the storage site must be observed.

### Disposal



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.

**Note**

For professional use only.

Identification, see safety data sheet.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved. We reserve the right to update, amend or supplement the content of the information without prior notice.